

SPACE 02

STAGE Technical Data Sheet

STAGE SIZE

Length	132' 2"	40.30 m
Width	80' 4"	24.50 m
Height (to rigging point)	30' 0"	9.15 m
Area	10,634 sq ft	988 sq m

ELECTRICAL SUPPLY

Maximum current available 400Amps 3-phase

A variety of 13 – 32 Amp power supplies In Stage:

- 1 x 16amp single phase
- 1 x 32amp single phase
- 1 x 16amp three phase
- 10 x 13amp twin sockets

A variety of 13 – 400 Amp power supplies In Dimmer Room:

- 2 x 63amp single phase
- 2 x 63amp three phase
- 1 x 125amp three phase
- 1 x 32amp three phase

BEAM LOADING

Max line load for each truss = 257kg / 0.257metric ton per metre length

Max point load at any one point on the truss = 925kg / 0.925 metric ton spaced no closer than 3.6m / 11' 9" centres

LOADING ACCESS

Stage door 4.0m x 3.3m

FLOOR TYPE

Resin Floor

FLOOR LOADING

5kn/sq m

COOLING

Cooling with extraction

WATER ON STAGE

Belfast sink with cold water supply [non-drinking water]

CONNECTIVITY AND WIFI

5 in stage outlets, extensive site-wide wireless coverage

FIRE PROTECTION

Smoke detection with isolation functionality

FIRE EXTINGUISHERS

H2O, CO2, Foam

RED LIGHT

Yes

BELL

Yes

ACOUSTICS

Fully sound insulated up to 65dB between stages and reverberation control to below 2secs. , UK,)